

위생크리닝 시스템 Inside thread

THE HYGIENE CLEANING SYSTEM



FBK - A Danish company that has manufactured quality articles for the cleaning industry since 1887 and has focused production on the professional sector ever since those early days. Today we are a leader in our market, working closely with selected distributors all round the world who know their customers' needs and offer a strong and proven selection of hygiene cleaning articles.

Colour coding

Always attentive to the requirements of valued customers, we now offer up to 8 colours: white, blue, red, yellow, green, orange, purple and black.

Tolerance data

In consideration for the requirements of the industry, articles are available with heat tolerances from -20°C/-4°F to +134°C/+273°F (even some up till +250°C/+480°F).

Extrusions for all brush bodies, shovels, buckets etc.

FBK manufactures from colour coded virgin polypropylene injected under very high pressure to produce solid, strong mouldings. This production technique sets FBK products apart from foamed injection methods.

Brush filaments

The majority of brushware is filled using polyester PBT filaments of various lengths and thicknesses to suit the application. This material is extremely suitable for autoclaving to +134°C/+273°F, does not absorb water, and is therefore ideal in retaining bristle stiffness and bend recovery. It wears longer and withstands destruction from a wide range of caustic cleaning chemicals.

Filament retention is important to FBK and the combination of precision drilled high density brush blocks and insertion of stainless steel retaining clips achieves this objective whilst allowing for the penetration of anti-bacterial agents to reach deep into the bristle clumps.

In response to customer demand, a selection of articles will shortly become available with bristles set in flexible resin compound. Enhanced bristle retention is achieved in addition to solid proven bristle anchorage.

Metal detectable articles

Manufactured from our own formulation involving additives that conform to food contact regulations, this addition allows material that may become accidentally detached from an article in use to be detected by standard in-line metal detection equipment. Appropriate for articles used in both the food and pharmaceutical manufacturing sectors.

Ergonomics

FBK aims to develop articles that are not only fit for purpose but are also ergonomic and user-friendly. Our design team will always consider what achieves the best results with the least fatigue.

Where our products perform

Anywhere and everywhere that uncompromising cleanliness is the over-arching requirement. Typical market types that appreciate our products include: food and beverage processing, food handlers, service sector and retail outlets, pharmaceutical and medical manufacturers, hospitals, municipal cleaning, contract cleaners etc.

Compliance

FBK articles conform to the best principles of HACCP, are manufactured from FDA compliant materials and are made in accordance with EU regulations 10/2011/EC; 1935/2004/EC; 2023/2006; 579/2011/EC; EU directive 93/43/EEC; 2002/72/EC; FDA food code 2009. As an active member of the European Brushware Federation, the company works in accordance with the PHB charter issued by FEIBP.

Migration test


For articles which are meant for direct food contact, migration tests have been made according to EU regulation 10/2011/EC

Conformity

With the above accreditations and conformance guarantees, FBK articles qualify to fit into HACCP, the International Features Standard (IFS), the British Retail Consortium standard (BRC) and the 5S concept for L.E.A.N. management.

GOA3 colour allocation program

With colour coding a key selling point in the FBK marketing strategy, this allocation program offers the facility to plan separation within whole production plants or work zones by colour. This affords great opportunities to eliminate cross-contamination issues by viewing or printing overviews of operations. For more information and to discuss bespoke applications, please contact your distributor.



When ordering please add colour code after the art. number:

(eg. 10548-2 = churn brush -> blue)

(eg. 10548-5 = churn brush -> green)

1	xxxxx -1 = White	5	xxxxx -5 = Green
2	xxxxx -2 = Blue	6	xxxxx -6 = Black
3	xxxxx -3 = Red	7	xxxxx -7 = Orange
4	xxxxx -4 = Yellow	8	xxxxx -8 = Purple



소개(Introduction)

FBK는 1887년부터 최고품질의 청소용품을 생산해 온 덴마크회사로 오래 전부터 전문적인 영역에 필요한 제품들에 집중해왔습니다. 강력한 시장 선도회사로서 현지 고객의 필요를 가장 잘 아는 전 세계 대리점들과의 긴밀한 협조를 통해 청소용품에 대해 증명된 품질의 제품을 공급하고 있습니다.

색상 코드방식 (Colour coding)

항상 고객의 귀중한 요청사항에 귀를 기울이고 있으며, 최대 8가지의 색상 별 제품을 공급하고 있습니다 ; 흰색, 청색, 적색, 노랑, 녹색, 주황, 보라, 검정.

허용수치 (Tolerance data)

산업계의 요청사항을 고려하여, 제품들은 -20° C/-4° F to+134° C/+273° F의 열에서 견디도록 만들어 졌습니다. (몇몇 제품들은 +250° C/+480° F 까지도 가능).

브러쉬 몸통, 샵, 물통 등은 모두 압출성형으로 만들어 졌습니다. FBK는 질기고 강한 사출제품을 생산하기 위해 초 고압 상태에서 색상을 입힌 초품의 폴리프로필렌을 주입하여 만듭니다.

브러쉬 솔모 (Brush filaments)

대부분의 브러쉬 제품은 용도에 적합하도록 길이와 두께를 다양화 시킨 폴리에스테르 PBT(폴리부틸렌 테레프탈레이트) 필라멘트로 되어있습니다. 이 재질은 +134° C/+273° F 의 감압멸균 소독에 최적의 조건이며, 물을 흡수하지도 않기 때문에 솔 모가 견고하고 구부러지지 않도록 해줍니다. 또한 다양한 부식성 화학물질로부터도 더 오래가고 변형되지 않도록 해줍니다.

필라멘트 보존력은 FBK에게 대단히 중요한 사항이어서, 브러쉬 문치에 아주 정교하고 촘촘하게 구멍을 뚫고 클립을 잡아주는 스테인레스 스틸을 삽입함으로써 보존력을 극대화 하고 있으며, 반면에 박테리아 박멸 소독제는 솔 모 사이로 스며들 수 있도록 했습니다.

고객의 요청에 부응하여, 유연성 수지 합성물로 된 솔 세트가 조망간 제품화 될 것입니다. 이미 검증된 견고한 솔에 더욱더 보강된 솔 보존력이 이루어 졌습니다.

금속 검출 가능 물질 (Metal detectable articles)

식품관리 법률을 충족시키는 자사만의 체계적인 시스템에 의해서 생산되었으며, 이러한 추가 조치는 제품제조 과정 중에 사용되고 남은 금속 재료들도 일반적인 금속탐지 장비에 의해서 쉽게 발견이 되어 안전하게 관리 되도록 해줍니다. 모든 제품은 식품 및 의약품 제조 영역에도 아주 적합합니다.

인체공학적 설계 (Ergonomics)

FBK는 용도에 맞는 제품 생산뿐 아니라 사용자가 쓰기 편리하도록 인체공학적 제품의 개발에도 힘쓰고 있습니다.

어디에서 우리의 제품들이 사용되나요?

깨끗한 위생상태를 최우선 사항으로 요구하는 모든 곳에서 우리 제품은 사용되고 있습니다.

식, 음료 공정, 식품 관리, 서비스 분야, 소매점, 의약품, 의료기 제조 등의 모든 분야에서 우리 제품이 사용되고 있습니다.

인증 (Compliance)

FBK 제품은 FDA에서 승인된 재료만을 사용하여 제작함으로써 HACCP의 원칙에 가장 부합하며, 또한 EU 규정(10/2011/EC; 1935/2004/EC; 2023/2006; 579/2011/EC; EU directive 93/43/EEC; 2002/72/EC; FDA food code 2009)에 적합하도록 만들어 졌습니다. 유럽연합 브러쉬 제품 협회의 중요 회원으로써 FEIBPO에 기안된 PHB 조항을 준수하고 있습니다.

이염성 시험 (Migration test)


식품과 직접 접촉되는 제품들에 대해서는10/2011/E 의 EU 규정에 의거 이염성 시험이 시행되고 있습니다.

적합성 (Conformity)

상기 언급한 제품 적합성이나 인증을 통해, FBK제품은 HACCP 품질 인증, IFS 국제 표준인증, BRC 영국소매 품질 표준, 그리고 LEAN 관리를 위한 5S 개념 등을 만족시킵니다.

GOA3색 분할 프로그램 (GOA3 colour allocation program)

FBK 마케팅 전략에서 핵심 판매 기법인 색상 코드방식으로 고객의 공장 전체 및 작업장을 색상 별로 분리해서 관리할 수 있도록 해줍니다. 이것은 전반적인 작업을 체크하거나 출력하여 관리함으로써 교차 오염 등에 의한 손실을 제거할 수 있습니다. 더 많은 정보를 원하시거나 세부적인 적용에 대해서는 FBK 대리점에 문의하시기 바랍니다.



발주 시, 부품번호 뒤에 색상코드를 입력 해 주십시오.

예, 10548-2 = 천 브러쉬 -> 청색
예, 10548-5 = 천 브러쉬 -> 녹색

1	xxxxx -1 = 흰색	5	xxxxx -5 = 녹색
2	xxxxx -2 = 청색	6	xxxxx -6 = 검정
3	xxxxx -3 = 적색	7	xxxxx -7 = 주황
4	xxxxx -4 = 노랑	8	xxxxx -8 = 보라





바닥 솔
DECK SCRUBS

23153-	300 x 60 mm	Polyester PBT 0.50	↓ 25					1	2	3	4	5	6	7
22153-	225 x 60 mm	Polyester PBT 0.50	↓ 30					1	2	3	4	5		
20153-	280 x 50 mm	Polyester PBT 0.50	↓ 30					1	2	3	4	5		
21153-	400 x 50 mm	Polyester PBT 0.50	↓ 30					1	2	3	4	5		8

둥근 바닥 솔
DECK SCRUBS W/SIDE FILAMENTS

20154-	285 x 130 mm	Polyester PBT 0.50	↓ 24/40					1	2	3	4	5		
--------	--------------	--------------------	---------	--	--	--	--	---	---	---	---	---	--	--

8 COLOURS
NOW AVAILABLE



다용도 바닥 솔 MULTI DECK SCRUB "HIGH/LOW"

20155-	245 x 110 mm	Polyester PBT 0.50	↓ 45		1 2 3 4 5 6 7
--------	--------------	--------------------	------	--	--

Extremely flexible deck scrub, due to the shape it works perfect below machines, in corners, on walls, on floors etc.

워터 바닥 솔 DECK SCRUBS WITH WATERFED

29154-	285 x 130 mm	Polyester PBT 0.50	↓ 24/40		1 2 3 4 5
24153-	300 x 60 mm	Polyester PBT 0.50	↓ 25		1 2 3 4 5
24255-	300 x 60 mm	Polyester PBT 0.50	↓ 25		2

8 COLOURS
NOW AVAILABLE





청소 & 바닥 솔 PBT - 미세
SWEEPERS WITH POLYESTER PBT

20106-	280 x 50 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
21106-	400 x 50 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
26106-	500 x 60 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
27106-	600 x 60 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5

Flagged material; means that the tip of the filaments have been flagged into 20-30 smaller filaments, good when you need to carry water, soap etc. bad in the bake industry.

청소 & 바닥 솔 PBT
SWEEPERS WITH POLYESTER PBT

20136-	280 x 50 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
21136-	400 x 50 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5 7 8
26135-	500 x 60 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
27136-	600 x 60 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5 6 7

8 COLOURS
 NOW AVAILABLE



청소 & 바닥 솔 PBT
SWEEPERS WITH POLYESTER PBT

21126-	400 x 50 mm	Polyester PBT 0.20	↓ 50		1 2 3 4 5 7 8
--------	-------------	--------------------	------	--	---------------

Very soft and tight / ~20% more filled, made for fine dust.

다용도 청소 & 바닥 솔
COMBINATION SWEEPERS

21176-	400 x 50 mm	Polyester PBT 0.30/0.70	6 ↓ 55		1 2 3 4 5 7 8
27176-	600 x 60 mm	Polyester PBT 0.30/0.70	6 ↓ 55		1 2 3 4 5 7

Black stiff front filaments loosen stubborn debris allowing soft rear filaments to sweep and collect effectively.

8 COLOURS
NOW AVAILABLE



청소 & 빗자루 바닥 솔
UPRIGHT SWEEPERS (SPANISH STYLE)

24147-	280 x 48 mm	Polyester PBT 0.30	↓ 70		1 2 3 4 5 7 8
24157-	280 x 48 mm	Polyester PBT 0.50	↓ 70		1 2 3 4 5 6 7 8
25147-	400 x 50 mm	Polyester PBT 0.30	↓ 70		1 2 3 4 5 7
25157-	400 x 50 mm	Polyester PBT 0.50	↓ 70		1 2 3 4 5 7

빗자루 솔
NARROW UP-RIGHT SWEEPER / BROOM (SPANISH STYLE)

20157-	260 x 35 mm	Polyester PBT 0.50	↓ 80		1 2 3
20180-	260 x 35 mm	Polyester PBT 1.00	↓ 105		1 2 3

8 COLOURS
 NOW AVAILABLE





청소 & 바닥 솔
BROOMS, MEDIUM

23155-	300 x 60 mm	Polyester PBT 0.50	↓ 55		1 2 3 4 5
25155-	400 x 60 mm	Polyester PBT 0.50	↓ 55		1 2 3 4 5 6 7 8
26155-	500 x 60 mm	Polyester PBT 0.50	↓ 55		1 2 3 4 5
27156-	600 x 60 mm	Polyester PBT 0.50	↓ 55		1 2 3 4 5 6 7

8 COLOURS
NOW AVAILABLE



Waterfed



Adjustable angle



Pack size



Heat tolerance



Trim size



PHB approved



청소 & 빗자루 바닥 솔 PBT - 매우거친
BROOMS, STIFF WITH POLYESTER PBT

23187-	300 x 60 mm	Polyester PBT 1.00	↓ 65	    	1 2 3 4 5
25187-	400 x 60 mm	Polyester PBT 1.00	↓ 65	    	1 2 3 4 5 8
27187-	600 x 60 mm	Polyester PBT 1.00	↓ 65	    	1 2 3 4 5

청소 & 빗자루 바닥 솔 PBT - 거친
BROOMS, STIFF WITH POLYESTER PBT

23190-	300 x 60 mm	Polyester PBT 1.00	↓ 110	    	1 2 3 4 5
25190-	400 x 60 mm	Polyester PBT 1.00	↓ 110	    	1 2 3 4 5 6 7 8
26190-	600 x 60 mm	Polyester PBT 1.00	↓ 110	    	1 2 3 4 5

 8 COLOURS
NOW AVAILABLE



Very soft



Soft



Medium



Stiff



Very stiff



Flagged material



빗자루 솔 & 바닥 솔 - 미세 솔
SWEEPERS WITH POLYPROPYLENE

20306-	280 x 50 mm	Polypropylene PBT 0.30	↓ 55		1 2 3 4 5
21306-	400 x 50 mm	Polypropylene PBT 0.30	↓ 55		1 2 3 4 5
26306-	500 x 60 mm	Polypropylene PBT 0.30	↓ 55		1 2 3 4 5

빗자루 솔 & 바닥 솔 - 부드러운 솔
SWEEPERS WITH POLYPROPYLENE

21336-	400 x 50 mm	Polypropylene PBT 0.30	↓ 55		1 2 3 4 5
--------	-------------	------------------------	------	--	-----------

8 COLOURS
NOW AVAILABLE



워터세척 다용도 솔 - 미세
WASHING BRUSHES WITH WATERFED

22104-	200 x 80 mm	Polyester PBT 0.30	↓ 55		2
24104-	265 x 90 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
24144-	265 x 90 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5

Water comes out from each filament bundle. Colour coded rubber edges bonded to brush body to protect delicate surfaces from damage whilst water brushing.

워터세척 다용도 솔 - 미세
WASHING BRUSHES WITH WATERFED

29105-	290 x 130 mm	Polyester PBT 0.30	↓ 45		1 2 3 4 5
24106-	300 x 60 mm	Polyester PBT 0.30	↓ 55		1 2 3 4 5
24105-	300 x 60 mm	Polyester PBT 0.30	↓ 55		2

세척 다용도 솔 - 미세
WASHING BRUSHES

22105-	225 x 60 mm	Polyester PBT 0.30	↓ 45		1 2 3 4 5
22155-	225 x 60 mm	Polyester PBT 0.50	↓ 50		1 2 3 4 5

세척 다용도 솔 - 미세
WASHING BRUSHES W/SIDE FILAMENTS

20105-	290 x 130 mm	Polyester PBT 0.30	↓ 45		1 2 3 4 5
--------	--------------	--------------------	------	--	------------------



배관 청소 솔 TUBE CLEANING BRUSHES FOR HANDLE

27121-	ø 63 x 95 x 120 mm	Polyester PBT 0.20	↓ 9	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27131-	ø 70 x 95 x 120 mm	Polyester PBT 0.30	↓ 12	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27132-	ø 80 x 100 x 125 mm	Polyester PBT 0.30	↓ 18	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27133-	ø 90 x 105 x 130 mm	Polyester PBT 0.30	↓ 23	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27152-	ø 105 x 115 x 140 mm	Polyester PBT 0.50	↓ 30	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27153-	ø 120 x 120 x 145 mm	Polyester PBT 0.50	↓ 38	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6

탱크 솔 / 바닥 솔 TANK BRUSHES

27134-	200 x 120 mm	Polyester PBT 0.30	↓ 35	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
27154-	200 x 120 mm	Polyester PBT 0.50	↓ 35	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 6
27104-	220 x 140 mm	Polyester PBT 0.30	↓ 40	    	<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5

 8 COLOURS
NOW AVAILABLE



Waterfed



Adjustable angle



Pack size



Heat tolerance



Trimsizes



PHB approved



배관 내부 / 외부 청소 솔 TUBE CLEANING BRUSHES FOR OUTSIDE CLEANING OF TUBES, FOR HANDLE

27250-2	ø 50 x 300 x 580 mm	Polyester PBT 0.30			2
27260-2	ø 100 x 340 x 600 mm	Polyester PBT 0.30			2

Flexible brush, you can shape it as you wish.

자루용 패드홀더 & 청소패드 PAD HOLDER AND PADS


27101-	230 x 100 mm	New lock system for handle 새로운 잠금시스템					1	2	3	4	5
15123-	250 x 120 mm	Floor pad									
15121-	250 x 120 mm	Floor pad									
15122-	250 x 120 mm	Floor pad									
15124-	250 x 120 mm	Floor pad									
15125-	250 x 120 mm	Floor pad									


Unique design provides firm grip for positive action at any angle.

바닥 스크래퍼 스텐 STAINLESS STEEL SCRAPER, FOR HANDLE

28281-	280 mm	1,5 mm stainless stell	↓ 110					1	2	3	4	5
--------	--------	------------------------	-------	--	--	--	--	---	---	---	---	---

27101- 새로운 잠금시스템 / New lock system for handle





싱글 스퀴즈
ONE-PIECE SQUEEGEES SUPER HYGIENIC

28300-	300 mm	Full coloured		1	2	3	4	5		
28400-	400 mm	Full coloured		1	2	3	4	5	7	8
28500-	500 mm	Full coloured		1	2	3	4	5		
28600-	600 mm	Full coloured		1	2	3	4	5	6	7
28700	700 mm	Full coloured		1	2	3	4	5		

Extremely effective acton when both pushing or pulling. Moves water effortlessly from smooth surfaces, along with condensation.

8 COLOURS
NOW AVAILABLE





스퀴즈 SQUEEGEES

28403-	400 mm	With white or black Rubber		1	2	3	4	5	7
28503-	500 mm	With white or black Rubber		1	2	3	4	5	6
28603-	600 mm	With white or black Rubber		1	2	3	4	5	7
28703-	700 mm	With white or black Rubber		1	2	3	4	5	

Soft durable sponge rubber white or black. All squeegees with white rubber unless requested otherwise.

스퀴즈 고무(교체용) REPLACEMENT RUBBER

28413-	400 mm	Rubber blades		1					6
28513-	500 mm	Rubber blades		1					6
28613-	600 mm	Rubber blades		1					6
28713-	700 mm	Rubber blades		1					6

8 COLOURS
NOW AVAILABLE





회전 스퀴즈 SQUEEGEES WITH PIVOT

28453-	400 mm	With white or black rubber		1	2	3	4	5
28553-	500 mm	With white or black rubber		1	2	3	4	5
28653-	600 mm	With white or black rubber		1	2	3	4	5

Soft durable sponge rubber white or black. Double blades can be replaced. All squeegees with white rubber unless requested otherwise

스퀴즈 고무(교체용) REPLACEMENT RUBBER

28413-	400 mm	Rubber blades		1				6
28513-	500 mm	Rubber blades		1				6
28613-	600 mm	Rubber blades		1				6
28713-	700 mm	Rubber blades		1				6

작업대용 싱글 스퀴즈 HAND SQUEEGEES

28243-	300 mm	One piece, super hygienic, with handgrip		1	2	3	4	5
28300-	300 mm	One piece, super hygienic, full coloured		1	2	3	4	5
29901-	175 mm	Replacement handgrip for hand squeegees		1	2	3	4	5

ONE-PIECE 봉
ONE-PIECE ERGONOMIC HANDLES, SUPER HYGIENIC

29903-	1300 x 32 mm	Full coloured		1	2	3	4	5	
29904-	1500 x 32 mm	Full coloured		1	2	3	4	5	7
29905-	1700 x 32 mm	Full coloured		1	2	3	4	5	

"One-piece" construction for more hygiene.

8 COLOURS
 NOW AVAILABLE

29905

29904

29903



알미늄 봉 ERGONOMIC HANDLES, ALUMINIUM

29812-	650 x 32 mm	Ergonomic design		1	2	3	4	5						
29813-	1300 x 32 mm	Ergonomic design		1	2	3	4	5	6	7	8			
29814-	1500 x 32 mm	Ergonomic design		1	2	3	4	5	6	7	8			
29815-	1750 x 32 mm	Ergonomic design		1	2	3	4	5	6	7	8			

Made from seam welded 0,05" wall top grade aluminium tube for strength, anodised for better resistance.

알미늄 봉(표준형) ALUMINIUM HANDLES, WITH STANDARD GRIP

29801-	300 x 25 mm			1	2	3	4	5	6	7	8			
29803-	1300 x 25 mm			1	2	3	4	5	6	7	8			
29804-	1500 x 25 mm			1	2	3	4	5	6	7	8			
29805-	1750 x 25 mm			1	2	3	4	5	6	7	8			



8 COLOURS
NOW AVAILABLE

29801

29812

29813

29814

29815

29805

29804

29803

화이바그레스 봉 ERGONOMIC HANDLES, FIBREGLASS

29713-	1300 x 32 mm	Ergonomic design	  	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	<input checked="" type="checkbox"/> 3	<input checked="" type="checkbox"/> 4	<input checked="" type="checkbox"/> 5
29714-	1500 x 32 mm	Ergonomic design	  	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	<input checked="" type="checkbox"/> 3	<input checked="" type="checkbox"/> 4	<input checked="" type="checkbox"/> 5
29715-	1750 x 32 mm	Ergonomic design	  	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	<input checked="" type="checkbox"/> 3	<input checked="" type="checkbox"/> 4	<input checked="" type="checkbox"/> 5

Light weight 0,05" wall fibreglass.

화이바그레스 봉(표준형) FIBREGLASS HANDLES, WITH STANDARD GRIP

29704-	1500 x 25 mm	White with blue handgrip	  	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5
29705-	1750 x 25 mm	White with blue handgrip	  	<input type="checkbox"/> 1	<input checked="" type="checkbox"/> 2	<input type="checkbox"/> 3	<input type="checkbox"/> 4	<input type="checkbox"/> 5



 8 COLOURS
NOW AVAILABLE



알루미늄 조절 봉 ERGONOMIC TELESCOPIC HANDLE, ALUMINIUM

29852- 1250→2000 x 32 mm Ergonomic design					
29856- 1750→3000 x 32 mm Ergonomic design					

화이버그레스 조절 봉(표준형) TELESCOPIC HANDLES, FIBREGLASS

29755- 1100→1900 x 26 mm With blue handgrip					
29756- 1500→2800 x 26 mm With blue handgrip					
29758- 2500→4800 x 26 mm With blue handgrip					

화이버그레스 조절 봉 TELESCOPIC HANDLES

29775- 1600→5300 x 34 mm				
29779- 1900→9500 x 46 mm				

Extra strong with a strong lock, fibreglass.

8 COLOURS
NOW AVAILABLE



워터 알루미늄 봉 ERGONOMIC HANDLES


29824-	1500 x 32 mm							
29825-	1750 x 32 mm							

Standard with 1/2" nipple.

워터 알루미늄 조절 봉 ERGONOMIC TELESCOPIC HANDLE

29828-	1250→2000 x 32 mm							
29826-	1750→3000 x 32 mm							

Standard with 1/2" nipple.



 **8 COLOURS**
NOW AVAILABLE





자루 바니스타 솔 BANISTER BRUSHES

10254-	340 x 35 mm	Polyester PBT 0.20	↕ 50	    	1 2 3 4 5
10253-	340 x 35 mm	Polyester PBT 0.30	↕ 45	    	1 2 3 4 5
10252-	340 x 35 mm	Polyester PBT 0.30	↕ 50	    	1 2 3 4 5 6 7 8
10255-	340 x 35 mm	Polyester PBT 0.50	↕ 50	    	1 2 3 4 5 6 7 8
10256-	340 x 35 mm	Polyester PBT 0.20/0.50	↕ 50	    	1 2 3 4 5 7 8

10256 - Stiff filaments in the front to help remove stubborn dirt.

자루 솔(미세) SMALL UTILITY BRUSHES

10202-	270 x 47 mm	Polyester PBT 0.30	↕ 30	    	1 2 3 4 5
10201-	270 x 47 mm	Polyester PBT 0.30	↕ 30	    	1 2 3 4 5
10203-	270 x 47 mm	Polyester PBT 0.30	↕ 30	    	1 2 3 4 5



Waterfed



Adjustable angle



Pack size



Heat tolerance



Trimsizes



PHB approved



자루 솔 CHURN BRUSHES

10547-	275 x 70 mm	Polyester PBT 0.30	↓ 45		1 2 3 4 5
10546-	275 x 70 mm	Polyester PBT 0.30	↓ 35		1 2 3 4 5 7 8
10548-	275 x 70 mm	Polyester PBT 0.50	↓ 35		1 2 3 4 5 6 7 8
10549-	275 x 70 mm	Polyester PBT 0.50	↓ 35/50		1 2 3 4 5

10549 - New design, more ergonomic handgrip, longer filaments in the tip for better cleaning in corners.

자루 솔 SMALL UTILITY BRUSHES

10543-	310 x 55 mm	Polyester PBT 0.30	↓ 30		1 2 3 4 5
--------	-------------	--------------------	------	--	-----------

자루 솔 RESIN SET CHURN BRUSHES

90546-	275 x 70 mm	Polyester PBT 0.30	↓ 40		1 2 3 4 5 7 8
90548-	275 x 70 mm	Polyester PBT 0.50	↓ 40		1 2 3 4 5 6 7 8

Filaments secured with both stainless steel clips + resin which is floated into and around each filament bundle for extra security for preventing single filaments to pulling out. Apart from avoiding the loose of filaments, this method inhibits the accumulation of dirt or moisture in the tuft holes.



긴 자루 솔 LONG UTILITY BRUSHES

10214-	410 x 45 mm	Polyester / Poliéster	PBT 0.30	↓ 45	    	1 2 3 4 5
10213-	410 x 45 mm	Polyester / Poliéster	PBT 0.30	↓ 40	    	1 2 3 4 5 7
10215-	410 x 45 mm	Polyester / Poliéster	PBT 0.50	↓ 40	    	1 2 3 4 5 7

긴 자루 솔 LONG WIDE UTILITY BRUSHES

10231-	410 x 55 mm	Polyester	PBT 0.30	↓ 50	    	1 2 3 4 5
10232-	410 x 55 mm	Polyester	PBT 0.30	↓ 50	    	1 2 3 4 5
10233-	410 x 55 mm	Polyester	PBT 0.50	↓ 50	    	1 2 3 4 5
10234-	410 x 55 mm	Polyester	PBT 0.20/50	↓ 50	    	1 2 3 4 5

10234 - Stiff filaments in the front to help remove stubborn dirt.

 8 COLOURS
NOW AVAILABLE





급수가능/Waterfeed

자루 솔 CHURN BRUSH WITH RUBBER HANDGRIP

50104-	275 x 70 mm	Polyester PBT 0.30	↓ 45						1	2	3	4	5
50144-	275 x 70 mm	Polyester PBT 0.30	↓ 35						1	2	3	4	5
50154-	275 x 70 mm	Polyester PBT 0.50	↓ 35						1	2	3	4	5

Colour coded rubber edges bonded to brush body to protect delicate surfaces from damage whilst water brushing, also gives a better hand grip.

워터 자루 솔 CHURN BRUSH WITH WATERFED AND RUBBER HANDGRIP

52104-	300 x 75 mm	PBT 0.30	½" nippel	↓ 45						1	2	3		
52144-	300 x 75 mm	PBT 0.30	½" nippel	↓ 35						1	2	3		
52154-	300 x 75 mm	PBT 0.50	½" nippel	↓ 35						1	2	3	4	5
51104-	300 x 75 mm	PBT 0.30	Euro nippel	↓ 45						2				
51154-	300 x 75 mm	PBT 0.50	Euro nippel	↓ 35						2				

Water comes out from each filament bundle.

8 COLOURS
NOW AVAILABLE





도마 슢 HAND SCRUB BRUSHES

15064-	210 x 70 mm	Polyester PBT 0.30	↕ 35	    	1 2 3 4 5
15063-	210 x 70 mm	Polyester PBT 0.50	↕ 35	    	1 2 3 4 5 6 7
15065-	210 x 70 mm	Polyester PBT 0.50	↕ 30/40	    	1 2 3 4 5
54153-	210 x 65 mm	Polyester PBT 0.50	↕ 30	    	1 2 3 4 5
15067-	180 x 60 mm	Polyester PBT 0.30	↕ 30	    	1 2
15062-	180 x 60 mm	Polyester PBT 0.50	↕ 30	    	1 2 3 4 5

15065 - Extended end filaments assist cleaning into angles and difficult corners.

주먹 슢 ROUND HAND SCRUB BRUSHES

54134-	ø 125 mm	Polyester PBT 0.30	↕ 40	    	1 2 3 4 5
54154-	ø 125 mm	Polyester PBT 0.50	↕ 40	    	1 2 3 4 5

 8 COLOURS
NOW AVAILABLE



Waterfed



Adjustable angle



Pack size




Heat tolerance



Trimsizes



PHB approved



굴절 자루 솔 DISH WASHING BRUSHES

10462-	255 x 28 mm	Polyester PBT 0.30	↓ 25		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
10463-	255 x 28 mm	Polyester PBT 0.30	↓ 25		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 7
10467-	225 x 35 mm	Polyester PBT 0.30	↓ 25		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
10466-	225 x 35 mm	Polyester PBT 0.30	↓ 25		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5

Effective working area of resilient filaments + scraping edge to remove stubborn residues.

손톱 솔 NAIL BRUSHES

15060-	110 x 45 mm	Polyester PBT 0.30	↓ 16		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 7
15061-	110 x 45 mm	Polyester PBT 0.50	↓ 16		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 7

미세 솔 SMALL MACHINE-/FISH BRUSH

50153-	275 x 20 mm	Polyester PBT 0.50	↓ 30		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5 <input type="checkbox"/> 7
--------	-------------	--------------------	------	--	---

8 COLOURS
NOW AVAILABLE





가루 전용 솔
FLOUR BRUSH

52126-	300 x 20 mm	Polyester PBT 0.20	↕ 60		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
--------	-------------	--------------------	------	--	--

빵 가루용 솔
BREAD BRUSH

51126-	408 x 56 mm	Polyester PBT 0.20	↕ 60		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> 4 <input type="checkbox"/> 5
--------	-------------	--------------------	------	--	--

붓 솔
GLAZING BRUSHES

80125-	30,5 mm	Polyester PBT 0.20	↕ 50		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3
81125-	51 mm	Polyester PBT 0.20	↕ 50		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3
82125-	71 mm	Polyester PBT 0.20	↕ 50		<input type="checkbox"/> 1 <input type="checkbox"/> 2 <input type="checkbox"/> 3

HEAT RESISTANCE RANGE 480°F

미세 솔
SMALL MACHINE-/FISH BRUSH

60153-	275 x 20 mm	PEEK 0.50	↕ 30		<input type="checkbox"/> 7
--------	-------------	-----------	------	--	----------------------------

긴 자루 솔
LONG UTILITY BRUSH

60215-	410 x 45 mm	PEEK 0.50	↕ 30		<input type="checkbox"/> 7
--------	-------------	-----------	------	--	----------------------------



홀 청소 솔 TUBE/BOTTLE BRUSHES WITH TUFT

10713-	ø 55 x 140 x 450 mm	Polyester PBT 0.30		1	2
10714-	ø 65 x 160 x 500 mm	Polyester PBT 0.30		1	2


홀 청소 솔 TUBE/BOTTLE BRUSHES

10750-	ø 10 x 150 x 500 mm	Polyester PBT 0.20		1	2	3	4	5	7	8
10752-	ø 20 x 150 x 500 mm	Polyester PBT 0.30		1	2	3	4	5	7	8
10754-	ø 30 x 150 x 500 mm	Polyester PBT 0.30		1	2	3	4	5	7	8
10756-	ø 40 x 150 x 500 mm	Polyester PBT 0.30		1	2	3	4	5	7	8
10758-	ø 50 x 150 x 500 mm	Polyester PBT 0.50		1	2	3	4	5	7	8
10759-	ø 60 x 150 x 500 mm	Polyester PBT 0.50		1	2	3	4	5	7	8

배수홀 청소 솔 DRAIN CLEANING BRUSH

10745-	ø 15 x 140 x 300 mm	Polyester PBT 0.20		2
--------	---------------------	--------------------	--	---

Twisted stainless steel wire, looped coil at the working end avoiding damage from abrasive cut ends of wire core. Customer made sizes also possible.



흡청소 몸체 & 흡청소 연결대(스텐/나이론)
TUBE BRUSHES AND RODS WITH THREAD

10771-	ø 12 x 100 x 160 mm	Polyester PBT 0.20		1	2	3	4	5
10772-	ø 20 x 100 x 160 mm	Polyester PBT 0.30		1	2	3	4	5
10774-	ø 40 x 100 x 160 mm	Polyester PBT 0.30		1	2	3	4	5
10775-	ø 50 x 100 x 160 mm	Polyester PBT 0.50		1	2	3	4	5
10776-	ø 60 x 100 x 160 mm	Polyester PBT 0.50		1	2	3	4	5
10778-	ø 80 x 100 x 160 mm	Polyester PBT 0.50		1	2	3	4	5
10780-	150 cm	Flexible rod / Stainless wire						
10781-	300 cm	Flexible rod / Nylon rod						
10784-	150 cm	Flexible rod / Nylon rod		1				
10785-	150 cm	Extension rod		1				

Twisted stainless steel wire, looped coil at the working end avoiding damage from abrasive cut ends of wire core.

8 COLOURS
NOW AVAILABLE





민찌기 솔 TUBE CLEANERS

57156-	ø 63 x 80 x 370 mm	Polyester PBT 0.30	↓ 20		1 2 3 4 5
57159-	ø 90 x 80 x 370 mm	Polyester PBT 0.50	↓ 35		1 2 3 4 5

손 보호 미세 솔(카타용) CUTTER BRUSH


50155-	510 x ø 100 mm	Polyester PBT 0.50	↓ 45		1 2
--------	----------------	--------------------	------	--	-----

핸드패드 홀더 & 청소패드 PAD HOLDER AND PADS

57101-	230 x 100 mm	New lock system for handle			1 2 3 4 5
15123-	250 x 120 mm	Floor pad			
15121-	250 x 120 mm	Floor pad			
15122-	250 x 120 mm	Floor pad			
15124-	250 x 120 mm	Floor pad			
15125-	250 x 120 mm	Floor pad			

Unique design provides firm grip for positive action at any angle.

57101 - 새로운 잠금 시스템 / New lock system





스크래퍼(스텐)
STAINLESS STEEL SPATULAS, HIGH-POLISHED

88040-	40 mm	Plastik handle		1	2	3	4	5
88080-	80 mm	Plastik handle		1	2	3	4	5
88100-	120 mm	Plastik handle		1	2	3	4	5

스크래퍼(PP)
SPATULAS

82904-	75 x 250 mm	Polypropylene		1	2	3	4	5		
15109-	110 x 250 mm	Polypropylene		1	2	3	4	5	7	8
82910-6	75 x 250 mm	Nylon							6	
15109-6	110 x 250 mm	Nylon							6	

스크래퍼(PP)
ERGO. SCRAPER


81900-	200 x 125 mm	Polypropylene		1	2	3	4	5
--------	--------------	---------------	--	---	---	---	---	---

With 3 working sides.

스크래퍼(PP)
ERGO. SPATULA

82900-	100 x 240 mm	Polypropylene		1	2	3	4	5
--------	--------------	---------------	--	---	---	---	---	---

With 2 working sides.



사각 스퀴프
HAND SCOOPS

15105-	100 x 260 mm	Polypropylene, Small, 500 gram		1	2	3	4	5	7	8
15106-	138 x 310 mm	Polypropylene, Medium, 750 gram		1	2	3	4	5	7	8
15107-	160 x 360 mm	Polypropylene, Large, 1000 gram		1	2	3	4	5	7	8

쓰레받이
DUST PAN

80301-	300 x 310 mm	Polypropylene		1	2	3	4	5	6	7	8
--------	--------------	---------------	--	---	---	---	---	---	---	---	---

Very strong.

8 COLOURS
NOW AVAILABLE

산업 현장에서 오랫동안 기다려왔던 제품 제조용, 첨가물 보관용과 세척용 물통!

THE BUCKET FOR PRODUCTION,
INGREDIENTS AND WASH-DOWN THAT THE INDUSTRY HAS BEEN WAITING FOR!



목적에 적합합니다 :

- 대형 4 갤론(미국식) 용량 **1**
- 내구성이 좋고 식품 등급에 적합한 폴리프로필렌만으로 제작
- 튀기거나 아래로 쏟아지는 것을 방지하기 위한 특별한 덮개 **2**
- 0.8인치 테두리가 있는 중량 물통으로 미끄럼방지 거친 바닥에서도 사용 **3**
- 미국식 갤론과 영국식 리터단위로 물통에 보기에 쉽게 표기가 되어있습니다 **1**

위생과 식품안전 :

- 8가지 강렬한 색깔이 서로 조합이 되도록 도움을 줍니다. 다른 색깔코드로 된 청소도구들과 잘 어울리고 교차 오염을 줄이는데 또한 도움을 줍니다 **4**
- 동일한 색상의 덮개도 있습니다 - 보관중인 요리 재료들을 안전하게 보관하고 이동중에도 흘러지 않도록 해줍니다 **5**
- 청소가 용이합니다 - 표면이 부드럽고, 안쪽 바깥쪽 모두에 날카로운 각이 없습니다 **6**
- 뒤집혔을때 자체 배수 방식입니다 - 오염된 물이 고이지 않도록 합니다 **7**

건강과 안전 :

- 독특하고 평평한 면의 디자인은 어깨에 지렛대효과를 감소시킵니다 **8**
- 강력하고 편안한 폴리프로필렌 손잡이는 손의 피로도를 감소시켜줍니다. (손으로 끼어넣는 와이어핸들과는 반대) **9**
- 물통 뒤쪽의 손잡이는 내용물을 쉽게 부을 수 있도록 합니다 - 장갑을 낀 상태에서 사용하기에 충분하고 바닥에서도 충분히 높아서 발목을 굽지도 않습니다 **10**

보관 :

- 특별한 브라켓이나 보관장치가 없어도 됨 - FBK 벽보관 시스템에 아주 적합 **11**
- 벽에서 위쪽으로 향하도록 하고 벽과 수평이 되도록 겁니다 **11**
- 각각의 제품들이 안쪽으로 쌓도록 설계되었습니다

FIT FOR PURPOSE:

- Large 4 U.S. Gallon capacity with 0.4 U.S. Gallon extra to rim **1**
- Manufactured entirely from durable food grade polypropylene
- Special pouring lip avoids splash and 'run down' **2**
- Heavy duty 0.8" rim at base of bucket to handle rough non-slip floors **3**
- Clear graduations moulded into bucket in Litres, UK Gallons and US Gallons **1**

HYGIENE & FOOD SAFETY:

- Eight strong colours to assist in compliance. Fits well alongside other colour coded cleaning tools to help reduce cross-contamination **4**
- Close fitting lid available in same colours - saves product spills when carrying and keeps ingredients safe while storing **5**
- Easy to clean - smooth surfaces, no internal or external sharp angles **6**
- Self-draining base when inverted - avoids stale water trap **7**

HEALTH & SAFETY:

- Unique, flat side design reduces 'lever effect' on the shoulders **8**
- Strong, comfortable, polypropylene handle reduces hand fatigue (as opposed to wire handles which cut into your hand) **9**
- Hand-grip on back of bucket for easy pouring - big enough for gloved hands and high enough off floor to avoid scraping knuckles **10**

STORAGE:

- No special brackets or storage system required - ideal fit for the FBK Wall Storage System **11**
- Hangs upright or upside down with flat side against wall, keeping it stable **11**
- Designed to be stacked inside each other



물통 / BUCKET

80101-	15 litre	Polypropylene		1 2 3 4 5 6 7 8
--------	----------	---------------	--	---

물통 뚜껑 / LID FOR BUCKET

80111-		Polypropylene		1 2 3 4 5 6 7 8
--------	--	---------------	--	---



자루 삽(short)
 ERGONOMIC ONE-PIECE SHOVELS, SHORT HANDLE

14103-	270 x 340 x 1120 mm	Polypropylene					1	2	3	4	5	6	7	8
14104-	330 x 380 x 1120 mm	Polypropylene					1	2	3	4	5	6		

자루 삽(long)
 ERGONOMIC ONE-PIECE SHOVELS, LONG HANDLE

15103-	270 x 340 x 1330 mm	Polypropylene					1	2	3	4	5	6		
15104-	330 x 380 x 1330 mm	Polypropylene					1	2	3	4	5	6	7	

One piece moulded provide proven, robust work tools, light weight, easily cleaned, non abrasive and rot proof.

 8 COLOURS
 NOW AVAILABLE





Only the filaments are metal detectable, not the brush block.



METAL DETECTABLE RANGE

바니스타 자루 솔 BANISTER BRUSH

70255-	340 x 35 mm	Polyester PBT 0.60	↕ 60		2
--------	-------------	--------------------	------	--	---

자루 솔 CHURN BRUSH

70548-	275 x 70 mm	Polyester PBT 0.60	↕ 50		2
--------	-------------	--------------------	------	--	---

긴 자루 솔 LONG WIDE UTILITY BRUSH

70233-	410 x 55 mm	Polyester PBT 0.60	↕ 60		2
--------	-------------	--------------------	------	--	---

도마 솔 HAND SCRUB BRUSH

75063-	210 x 70 mm	Polyester PBT 0.60	↕ 40		2
--------	-------------	--------------------	------	--	---

가루전용 솔 FLOUR BRUSH

72166-	300 x 20 mm	Polyester PBT 0.60	↕ 60		2
--------	-------------	--------------------	------	--	---

METAL TESTER

79999-

Tested on a Safeline R-series machine 300 kHz; ø 0.04" FE = 0.7" longitudinal/1.3" transverse / Before use, please calibrate test for own safety.



스크래퍼(PP)
SPATULAS

72904-	75 x 250 mm	Polypropylene		2 3 4 5
75109-	110 x 250 mm	Polypropylene		2 3 4 5

스크래퍼(PP)
ERGO. SCRAPER

71900-	200 x 125 mm	Polypropylene		2 3
--------	--------------	---------------	--	-------------------

With 3 working sides.

스크래퍼(PP)
ERGO. SPATULAE

72900-	100 x 240 mm	Polypropylene		2 3
--------	--------------	---------------	--	-------------------

With 2 working sides.

사각 스퀴프
HAND SCOOPS

75105-	100 x 260 mm	Polypropylene, Small, 500 gram		2 3 4 5
75106-	138 x 310 mm	Polypropylene, Medium, 750 gram		2 3 4 5
75107-	160 x 360 mm	Polypropylene, Large, 1000 gram		2 3 4 5

Tested on a Safeline R-series machine 300 kHz; ø0,2" = ø0,08" FE / Before use, please calibrate test for own safety.



Very soft



Soft



Medium



Stiff



Very stiff



Flagged material

쓰레받이
DUSTPAN

70301-	300 x 310 mm	Polypropylene	   	2	3
--------	--------------	---------------	---	---	---

바케스
BUCKET

70101-	15 litre	Polypropylene	   	2	
70111-	Lid for bucket	Polypropylene	   	2	

자루 삽
ERGONOMIC ONE-PIECE SHOVELS

74103-	270 x 340 x 1120 mm	Polypropylene	   	2	3
74104-	330 x 380 x 1120 mm	Polypropylene	   	2	3
75103-	270 x 340 x 1330 mm	Polypropylene	   	2	3
75104-	330 x 380 x 1330 mm	Polypropylene	   	2	3

Tested on a Safeline R-series machine 300 kHz; ø0,2" = ø0,08" FE / Before use, please calibrate test for own safety.





도구 걸이대 WALL HOLDER SETS

15158-	300 mm	2 small		 	<input type="checkbox"/>										
15155-	500 mm	2 small/1 large		 	<input type="checkbox"/>										
15157-	900 mm	3 small/2 large		 	<input type="checkbox"/>										
15150-	ø 22 - 32 mm	Singel clip, small	↔ 77	 	<input type="checkbox"/>										
15151-	ø 28 - 38 mm	Single clip, large	↔ 85	 	<input type="checkbox"/>										
80000-	60 mm	Wallhook, strengthen with fibreglass	↔ 50	 	<input type="checkbox"/>										
15156-	300 mm	Single aluminium rail		 	<input type="checkbox"/>										
15154-	500 mm	Single aluminium rail		 	<input type="checkbox"/>										
15153-	900 mm	Single aluminium rail		 	<input type="checkbox"/>										
80005-		Replacement end cap for alu.rail		 	<input type="checkbox"/>										
80002-	110 x 75 mm	Sign board for alu.rail		 	<input type="checkbox"/>										

One piece holders without loose parts. Soft rubber grips hold items securely, even when wet.





워터건 WATERGUNS

0410-	175psi - 105F	Heavy duty model	Light weight model		2
0411-	350psi - 200F	Heavy duty model	Brass		1 2 3 4 5 6
5370-	1/2" - 3/4"	Hose nipple with thread for guns			
5372-	1/2"	Nipple with thread for guns			
5373-	3/4"	Nipple with thread for guns			

워터건 WATERGUNS

0405-	120psi - 200F	Standard	
-------	---------------	----------	--

8 COLOURS
NOW AVAILABLE





호스(PVC)
HOSE

045050-	½", 50 m, 190psi	PVC	 
---------	------------------	-----	---

호스 연결용 커플링
TAP COUPLING

5361-	½" - ¾" - M22x1		
-------	-----------------	--	---

호스 연결용 커플링(½")
COUPLERS ½"

5355-	½"	Hose coupler with swivel + waterstop	 5
5353-	½"	Hose coupler with waterstop	 5
5350-	½"	Hose coupler	 10
5365-	½"	Connector	 10

호스 연결용 커플링(¾")
COUPLERS ¾"

5354-	¾"	Hose coupler with waterstop	 5
5351-	¾"	Hose coupler	 10



Index

- Deck scrubs 4, 5
- Sweepers 6, 7, 8, 11
- Brooms 9, 10, 11
- Washing brushes 12
- Tube cleaning brushes 13, 14
- Tank brushes 13
- Pad holder 14, 32
- Pads 14, 32
- Stainless steel scraper 14
- Squeegees 15, 16, 17
- Replacement rubber 16, 17
- Hand squeegees 17
- One-piece handles 18
- Handles 19, 20, 21, 22
- Telescopic handles 21
- Banister brushes 23
- Small utility brushes 23, 24
- Churn brushes 24, 26
- Resin Set Churn Brushes 24
- Long utility brushes 25, 29
- Hand scrub brushes 27
- Dish washing brushes 28
- Nail brushes 28
- Small machine-/fish brush 28, 29
- Flour brush 29
- Bread brush 29
- Glazing brushes 29
- Tube/Bottle brushes 30
- Drain cleaning brush 30
- Tube brushes and rods with thread 31
- Tube cleaners 32
- Cutter brush 32
- Spatulas 33
- Hand scoops 34
- Dustpan 34
- Bucket/Lid for bucket 35
- One-piece shovels 36
- Metal detectable range 37, 38, 39
- Wall holder sets 40
- Waterguns 41
- Hose 42
- Couplers 42

목 차

- 바닥 솔 4, 5
- 청소 & 바닥 빗자루 솔 6, 7, 8, 11
- 청소 & 바닥 솔 9, 10, 11
- 세척 솔 12
- 배관 청소 솔 13, 14
- 탱크 솔 13
- 패드홀더 14, 32
- 패드 14, 32
- 스크래퍼 스텐 14
- 스퀴즈 15, 16, 17
- 교체용 고무 16, 17
- 작업대용 싱글 스퀴즈 17
- ONE-PIECE 봉 18
- 봉 19, 20, 21, 22
- 조절 봉 21
- 자루 바니스타 솔 23
- 자루 솔 23, 24
- 자루 솔 24, 26
- 자루 솔 24
- 긴 자루 솔 25, 29
- 도마 솔 27
- 굴절 자루 솔 28
- 손톱 솔 28
- 미세 솔 28, 29
- 가루 전용 솔 29
- 빵 가루용 솔 29
- 붓 솔 29
- 홀 청소 솔 30
- 배수홀 청소 솔 30
- 홀 청소 몸체 & 홀 청소 연결대 31
- 민찌기 솔 32
- 손 보호 미세 솔 32
- 스크래퍼 33
- 사각 스퀴프 34
- 쓰레받이 34
- 바케스 35
- 자루삽 36
- 자석 자루 솔 37, 38, 39
- 도구 걸이대 40
- 워터건 41
- 호스 42
- 커플링 42

*** = Excellent; no deterioration or long-term adverse effects. 😊


** = Caution; variations in concentration, temperature and exposure could be detrimental. 😐

* = Unsatisfactory; contact will result in permanent deterioration. 😞

Notes:
The Information provided assumes temperatures not exceeding 20°C
Celsius Concentration % relates to % chemical substance in total mix with water

Information is based on data provided by suppliers of our raw materials, who state: "we believe it to be true and accurate, but no warranties are expressed or implied regarding its accuracy or the performance of any product. Testing is recommended for critical applications".

Chemical	Concentration %	Polyester PBT	Poly-propylene	Nylon 66
Acetic acid	100	*	***	*
Acetone	100	***	***	***
Ammonia Liquid		**	***	***
Aniline	100	***	**	*
Benzene	100	***	*	***
Bleaching Solutions Dilute		***	***	*
Caustic Potash	10	***	***	***
Caustic Potash	50	**	***	***
Chlorine Water Saturated		*	*	*
Chloroform	100	***	**	*
Chromic Acid	10	***	***	**
Citric Acid	10	***	***	**
Detergent-soaps		***	***	***
Ethanol	96	***	***	***
Ethyl acetate	100	***	***	***
Formic Acid	100	***	**	*
Fuel oil		***	**	***
Glycerine		***	***	***
Hydrochloric acid	30	**	***	*
Lactic Acid	20	***	***	**
Methyl Alcohol	100	***	***	***
Mineral oil		***	***	***
Nitric Acid	10	***	***	*
Nitric Acid	50	***	*	*
Oleic acid	100	***	***	***
Oxalic Acid	10	***	**	*
Petrol		***	**	***
Phosphoric Acid	85	***	***	*
Sea Water	100	***	***	***
Sodium Chloride (salt)		***	***	***
Sodium Hydroxide	10	*	***	***
Sodium Hydroxide	50	*	***	***
Sodium Hypochlorite	10	***	***	*
Stearic Acid	100	***	***	**
Sulphuric Acid	10	***	***	*
Sulphuric Acid	96	*	*	*
Tetrachloro-ethylene		**	*	**
Toluene	100	**	*	***
Trichloro-ethylene		**	**	***
Turpentine	100	***	*	***
Vaseline		***	***	***
Vegetable Oil		***	***	***



티.케이 글로벌

주소 서울특별시 서초구 양재동 386-21 새티스빌 101호
TEL (02)579-9779/9889 FAX (02)579-9797
Email tkglobal77@yahoo.co.kr
www.tk-global.co.kr

